




卓越品质 值得信赖

卓越品质 值得信赖



慈溪市华徐衡器实业有限公司

CIXI HUAXU WEIGHING APPARATUS INDUSTRY CO., LTD.

地址：浙江省慈溪市白沙路街道新横江村降桥148号

电话：+86-0574-63827959

邮箱：cixihna@126.com

网址：www.cn-huachi.com

http://cxhq.cn.alibaba.com

版权所有，违者必究。

慈溪市华徐衡器实业有限公司

CIXI HUAXU WEIGHING APPARATUS INDUSTRY CO., LTD.

www.cn-huachi.com

海纳百川 有容乃大

All rivers run into sea , tolerance is a great

ABOUT US

慈溪市华徐衡器实业有限公司建于1995年，位于杭州湾大桥南岸——慈溪工业区，工厂占地面积0.8万平方米，紧临329国道，交通便利。

本公司是专业生产华驰牌系列电子天平，系列机械分析天平，系列架盘天平，系列砝码等各种计量仪器。是一家重质量、守信誉的老牌企业。建厂以来，企业规模逐渐扩大，技术力量日益雄厚，产品实行严格的质量检测手段和科学先进的管理，坚持“信誉至上，用户满意，超越现在，力求领先”的质量方针，通过多年的开拓、创新，产品得到海内外客户的一致好评。

华徐的今天，感谢国内外新老客户的信赖和支持。

华徐的未来，渴望海内外各界朋友的关心和指点。

华徐公司竭诚欢迎海内外客商前来惠顾、指导、共同发展！

Cixi Huaxu Weighing Apparatus Industry Co.,Ltd is established in 1995 and located in cixi industrial area in Hangzhou Bay Bridge.The factory covers a land area of 8000m² square meters and is close to NO.329 national road with convenient traffic .

The factory is engaged in the manufacture of Huachi branded series products such as mechanical analysis balance,frame tray balance,humanweight balance,kitchen balance with more than 10 categories and specifications.The factory is capable of producing 150,000 sets of all kinds of balance annually.The factory is an old branded enterprise witch lays high stress in quality and keeps promise on prestige. The enterprise develops the scale step by step since its foundation and their technologies become stronger .The enterprise carries out strict quality inspection methods and advanced scientific management.The enterprise pursues .the quality policy of Reputation the Uppermost,customer satisfaction, exceeding the current level and seeking for leading position,The factory has achieved good-reputation form customers both at home and abroad by its exploration, innovation through many years.

Huaxu wants to express thanks to customers both old and new,both at home and abroad for their trust and support today's achievements.

Huaxu expects care and instruction from friends in all circles both at home and abroad.

Huaxu company cordially hops customers both at home and abroad come for visit,instruction for mutual development!




HC-SW系列电子分析天平
HC-SW series electronic analytical balance

性能特点

- 1、后置式电磁力传感器；
- 2、全透明玻璃防风罩；
- 3、标准RS232通讯端口，实现数据与电脑、打印机或其他设备之间的通讯；
- 4、可伸拉式LCD显示器，避免用户在操作按键时对天平造成冲击和震动；
- 5、选配下挂钩称量装置；
- 6、内置砝码一键校准（外部砝码校准）；
- 7、选配热敏打印机。

FEATURES

- 1. Rear type electromagnetic force sensor;
- 2. All transparent glass windshield, samples can be seen entirely and clearly.
- 3. Stanard Rs232 communication port, realize the communication between data and computer, printer or other device.
- 4. Detachable LCD display, to avoid the balance shaking and vibrating when users press the buttons.
- 5. The below hook weighing device (optional).
- 6. Internal weights one key calibration (external weight calibration).
- 7. Thermal printer (optional).



HC-SW	型号 Model	SW1035A	SW1055A	SW1085A	SW2035A	SW2055A	SW2085A	SW1035B	SW1055B	SW1085B	SW2035B	SW2055B	SW2085B
	量程(g) Range(g)	120/31	120/51	120/82	210/31	210/51	210/82	120/31	120/51	120/82	210/31	210/51	210/82
	校准方式 Calibration mode	全自动内校 Internal calibration						砝码外校 External calibration					
	可读性(mg) Readability (mg)	0.1mg/0.01mg						0.1mg/0.01mg					
	重复性(mg) Repeatability (mg)	±0.1mg/±0.05mg						±0.1mg/±0.05mg					
	线性误差(mg) Linear error (mg)	±0.1mg/±0.05mg						±0.1mg/±0.05mg					
	操作温度范围(℃) Operating temperature range (℃)	10℃~30℃						10℃~30℃					
	操作湿度范围(RH) Operating range of humidity (RH)	(20%~85%) RH 相对 (非冷凝) Relative (non-condensing)						(20%~85%) RH 相对 (非冷凝) Relative (non-condensing)					
	响应时间(平均值)(秒) Response time (average) (in seconds)	2.5/15						2.5/15					
	秤盘尺寸(mm) The scale size(mm)	φ 90						φ 90					
	外形尺寸(长*宽*高) (mm) Overall dimensions(length*width*height)(mm)	470x310x320mm						470x310x320mm					
	开机预热 (分钟) Preheat time	(20~30)min						(20~30)min					
	波特率 Baud rete	300、600、1200、2400、4800、9600						300、600、1200、2400、4800、9600					
	显示器 Display	可拉伸式LCD显示器Detachable LCD display						可拉伸式LCD显示器Detachable LCD display					


HC-WC系列触摸屏电子分析天平
HC-WC series Touch-screen electronic analytical balance

性能特点

外形设计结构新颖，新一代电磁平衡传感器全自动故障检测，外置砝码校正提示，自动校准，零点跟踪，5寸彩色触摸屏显示屏，多种计算单位转换，RS-232C接口。适用于科研机构、大专学校、生物医药、工矿企业及其他领域作为精确称量和质量分析的理想仪器。

FEATURES

The exterior design is novel in structure, the new generation of electromagnetic balance sensor, automatic fault detection,external weights, correction tips. Automatic calibration, zero tracking, 5" Color Touch Display, multiple computing unit conversion, RS-232C interface. It is suitable for scientific research institutions, tertiary instututions,biomedicine, industrial and mining enterprises and other fields as precise weighing and the use of quality analysis is an ideal instrument for quality measurement and analysis.



HC-WC	型号 Model	WC-2204T	WC-2004T	WC-1204T	WC-1004T
	规格 Specification	220g/0.1mg	200g/0.1mg	120g/0.1mg	100g/0.1mg
	最大称量值 Capacity	220g	200g	120g	100g
	最小读数 Resolution	0.1mg			
	秤盘尺寸 Scale Pan Size	φ 90mm			
	装箱数量 QTY	1台			
	外箱尺寸 MEAS	35X21.5X34cm			
	毛、净重 N.W / G.W	8kg/7kg			
	供电 Power	AC 220V/50Hz		7.5V/2A	

FA(HC-A)型 电子分析天平
FA(HC-A) Type Electronic Analytical Balance


性能特点

- 1、采用电磁力平衡式称量传感器;
- 2、自动外置砝码校准,全自动校准;
- 3、大尺寸玻璃防风罩,视野清晰、明亮;
- 4、高对比度、超大液晶显示屏;
- 5、显示屏背光照明,确保工作环境照明不足时能正常使用;
- 6、超载保护;
- 7、USB数据传输功能,可连接电脑和打印机,快速采集数据。

FEATURES

- 1. The use of electromagnetic force balance type weighing sensor;
- 2. Automatic external calibration weights, automatic calibration;
- 3. Large-size glass windscreen, clear vision and bright;
- 4. High-contrast, large LCD screen;
- 5. The display backlight;
- 6. Overload protection;
- 7. USB interface,can be connected to PCor printer.

FA (HC-A)	型号 Model	FA1004	FA2004	FA2204
	规格 Specification	100g/0.1mg	200g/0.1mg	220g/0.1mg
	最大称量值 Capacity	100g	200g	220g
	最小读数 Resolution	0.0001g	0.0001g	0.0001g
	秤盘尺寸 Scale Pan Size	Ø75mm		
	装箱数量 QTY	1台		
	外箱尺寸 MEAS	50x35x48cm		
	毛、净重 N.W / G.W	7.7kg/6.7kg		



HC-Q系列 精密电子天平
HC-Q series precision electronic balance


性能特点

- 1、精度高,反应速度快;
- 2、砝码外部校准功能;
- 3、标准RS232通讯端口,实现数据与电脑、打印机或其他设备之间的通讯;
- 4、计数百分比功能;
- 5、超大LCD显示屏;
- 6、不锈钢秤盘;
- 7、超重报警功能,用户可根据自己的要求设置重量的上下限。

FEATURES

- 1. High accuracy, quick weighing;
- 2. External calibration;
- 3. RS232 interface;
- 4. Percentage (%) weighing function;
- 5. Huge LCD display;
- 6. Stainless steel weighing pan;
- 7. Overload alarm function.

HC-Q	型号 Model	Q1003	Q2003	Q3003	Q5003	Q11003
	规格 Specification	100g/1mg	200g/1mg	300g/1mg	500g/1mg	1100g/1mg
	最大称量值 Capacity	100g	200g	300g	500g	1100g
	最小读数 Resolution	1mg				
	秤盘尺寸 Scale Pan Size	φ 80mm			φ 110mm	
	装箱数量 QTY	1台				
	外箱尺寸 MEAS	50X35X48cm				
	毛、淨重 N.W / G.W	7.5kg/6kg				




HC-SF系列卤素水份测定仪
HC-SF series halogen moisture analyzer

性能特点

- 1、超大彩色触摸屏；
- 2、高精度隔热传感器；
- 3、精铸铝合金外壳；
- 4、测试过程中升温快、加热均匀，有效提高加热效率；
- 5、环形卤素灯管、多层不锈钢加热舱；
- 6、USB数据接口，可连接打印机，内部可储存数据；
- 7、不锈钢秤盘。

FEATURES

- 1、Large color touch screen;
- 2、High precision insulated sensor;
- 3、Aluminum alloy shell;
- 4、Rapid and uniform heating during the test, effectively improving heating efficiency;
- 5、Ring halogen tube, multi-layer stainless steel heating chamber;
- 6、USB data interface, connect printer, internal data storage;
- 7、Stainless steel weighing pan.



HC-SF	型号 Model	SF-16A					
	规格 Range	50g/1mg	50g/2mg	50g/5mg	100g/1mg	100g/2mg	100g/5mg
	量程(g) Range(g)	50g	50g	50g	100g	100g	100g
	可读性(mg) Readability (mg)	1mg	2mg	5mg	1mg	2mg	5mg
	重复性(3g样品) Repeatability (3g sample)	0.5%	0.3%	0.2%	0.5%	0.3%	0.2%
	最小样品量 Minimum sample size	2g					
	建议样品量 Recommended sample size	3~10g					
	加热时间 Heating time	(1~99)分钟时间					
	升温程序 Heating procedure	标准					
	通讯 Communication	RS232					
	终点控制 Endpoint control	定时、自动、手动					
	加热温度范围 Heating temperature range	60°C~160°C					
	显示内容 Show contents	重量、时间、水份					
	秤盘尺寸 Pan size	φ100mm					
	外形尺寸 Shape size	34.5x24.5x20cm					
	净重 Net weight	3kg					
	总重 Gross weight	4kg					
	加热源 Heating source	卤素灯					

HC-MD系列密度天平
HC-MD series Density balance


性能特点

- 1、电子天平配合密度测试装置，实现液体、固体的密度测试；
- 2、标准重锤体积标定，可测试任意密度的液体；
- 3、密度测量精度千分之一；
- 4、配置RS232数据接口，可外接打印机或计算机；
- 5、具备计件、累计、单位转换等功能；
- 6、灵敏度、稳定度可调；
- 7、带背光液晶显示；
- 8、全不锈钢密度支架。

FEATURES

- 1、Electronic balance cooperates with density testing device to realize density testing of liquid and solid.
- 2、Standard weight hammer volume calibration, can test any density of liquid;
- 3、The accuracy of density measurement is one thousandth.
- 4、Configure RS232 data interface to connect printer or computer;
- 5、It has the functions of piece counting, accumulating, unit conversion and so on;
- 6、Adjustable sensitivity and stability;
- 7、LCD with backlight;
- 8、All stainless steel density bracket.

HC-MD	型号 Model	MD1003	MD2003
	规格 Range	100g/0.001g	200g/0.001g
	量程(g) Range(g)	100g	200g
	可读性(g) Readability (g)	0.001g	0.001g
	比重解析度 Specific gravity resolution	0.001	0.001
	秤盘尺寸 Scale pan size	φ80mm	
	装箱数量 QTY	1台	
	外箱尺寸 MEAS	50x35x48cm	
	毛重 /净重 G.W / N.W	7.5kg / 8kg	



HC-B型精密系列天平
HC-B Precision Balances

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准，标配砝码操作简便；
- 3、可拆式大尺寸玻璃防风罩，消除工作环境影响；
- 4、大尺寸带背光液晶显示，消除环境光线影响；
- 5、抗过载保护及故障自动提示；
- 6、内置RS232接口(可选装),可直接连接电脑或打印机；
- 7、多种单位转换，操作简便；
- 8、交直流两用，待机时间超长；
- 9、选装外置显示器（RS232与显示接口二选一）。

FEATURES


- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights, easy to operate standard weight;
- 3. Large-size glass windscreen;
- 4. High-contrast,large LCD display ,Display back light;
- 5. Anti-overload protection and automatic fault tips;
- 6. Built-in RS232 interface (optional) can be connected directly to a computer or printer;
- 7. A variety of unit conversion, easy to operate;
- 8. AC-DC dual-use, long standby time;
- 9. Optional external display (RS232 and display interface, only one of them).



HC-B 玻璃防风罩	型号 Model	B1003	B2003	B3003	B5003
	规格 Specification	100g/0.001g	200g/0.001g	300g/0.001g	500g/0.001g
	最大称量值 Capacity	100g	200g	300g	500g
	最小读数 Resolution	0.001g	0.001g	0.001g	0.001g
	秤盘尺寸 Scale Pan Size	Ø90mm			
	装箱数量 QTY	1台			
	外箱尺寸 MEAS	39x29x40cm			
	毛、净重 N.W / G.W	5kg/3.7kg			
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池			



HC-B 圆风罩	型号 Model	B1002	B2002	B3002	B5002	B6002	B10002	B20002	B30002
	规格 Specification	100g/0.01g	200g/0.01g	300g/0.01g	500g/0.01g	600g/0.01g	1000g/0.01g	2000g/0.01g	3000g/0.01g
	最大称量值 Capacity	100g	200g	300g	500g	600g	1000g	2000g	3000g
	最小读数 Resolution	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g
	秤盘尺寸 Scale Pan Size	Ø130mm							
	内盒尺寸 Packing Box	34.5x25.7x24.5cm							
	装箱数量 QTY	4台							
	外箱尺寸 MEAS	54x36x52cm							
	毛、净重 N.W / G.W	约13kg/12kg							
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池							



外接显示器
External Display

HC-B 普通	型号 Model	B1001	B2001	B3001	B5001	B6001	B10001	B20001	B30001
	规格 Specification	100g/0.1g	200g/0.1g	300g/0.1g	500g/0.1g	600g/0.1g	1000g/0.1g	2000g/0.1g	3000g/0.1g
	最大称量值 Capacity	100g	200g	300g	500g	600g	1000g	2000g	3000g
	最小读数 Resolution	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	Ø130mm							
	内盒尺寸 Packing Box	25.5x16x33.2cm							
	装箱数量 QTY	6台							
	外箱尺寸 MEAS	52.5x34.5x50cm							
	毛、净重 N.W / G.W	17.2kg/16.2kg							
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池							


HC-B型精密系列天平
HC-B Precision Balances

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准，标配砝码操作简便；
- 3、大尺寸带背光液晶显示，消除环境光线影响；
- 4、抗过载保护及故障自动提示；
- 5、内置RS232接口(可选装),可直接连接电脑或打印机；
- 6、多种单位转换，操作简便；
- 7、交直流两用，待机时间超长。
- 8、选装外置显示器（RS232与显示接口二选一）。

FEATURES

- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights, easy to operate standard weight;
- 3. High-contrast,large LCD display ,Display back light;
- 4. Anti-overload protection and automatic fault tips;
- 5. Built-in RS232 interface (optional) can be connected directly to a computer or printer;
- 6. A variety of unit conversion, easy to operate;
- 7. AC-DC dual-use, long standby time.
- 8. Optional external display (RS232 and display interface, only one of them) .



HC-B 大称量	型号 Model	B50001	B60001	B100001
	规格 Specification	5000g/0.1g	6000g/0.1g	10000g/0.1g
	最大称量值 Capacity	5000g	6000g	10kg
	最小读数 Resolution	0.1g	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	175x145mm		
	内盒尺寸 Packing Box	25.5x16x33.2cm		
	装箱数量 QTY	6台		
	外箱尺寸 MEAS	52.5x34.5x50cm		
	毛、净重 N.W / G.W	17.3kg/16.3kg		
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池		

HC-C型标准系列天平
HC-C Standard Balances

性能特点

- 1、数码管显示，显示清晰，消除环境光线影响；
- 2、附带计数功能，准确度高；
- 3、四个可调式水平脚，适合各类操作台面；
- 4、外置校准砝码，标配砝码操作简便；
- 5、传感器限位保护有效避免传感器受损；
- 6、配备各类防风罩，满足不同使用场合。

FEATURES

- 1. LED display, clear display, eliminate the influence of environmental light;
- 2. Incidental counting function, high accuracy;
- 3. Four adjustable horizontal feet, suitable for all kinds of operation desktops;
- 4. External calibration weights are easy to operate.
- 5. Sensor limit protection can effectively avoid sensor damage.
- 6. Equipped with all kinds of windshield to meet different use occasions.




Table with 5 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, Power. Rows include C1003, C2003, C3003.




Table with 10 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, Power. Rows include C1002, C2002, C3002, C5002, C6002, C10002, C20002, C30002.



Table with 10 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, Power. Rows include C1001, C2001, C3001, C5001, C6001, C10001, C20001, C30001.

HC-C型标准系列天平
HC-C Standard Balances

性能特点

- 1、数码管显示，显示清晰，消除环境光线影响；
- 2、附带计数功能，准确度高；
- 3、四个可调式水平脚，适合各类操作台面；
- 4、外置校准砝码，标配砝码操作简便；
- 5、传感器限位保护有效避免传感器受损；
- 6、配备各类防风罩，满足不同使用场合。

FEATURES

- 1. LED display, clear display, eliminate the influence of environmental light;
- 2. Incidental counting function, high accuracy;
- 3. Four adjustable horizontal feet, suitable for all kinds of operation desktops;
- 4. External calibration weights are easy to operate.
- 5. Sensor limit protection can effectively avoid sensor damage.
- 6. Equipped with all kinds of windshield to meet different use occasions.




Table with 5 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, Power. Rows include C50001, C60001, C100001.

HC-CB型多功能系列天平
HC-CB Multifunction Balances

性能特点

- 1、数码管显示，显示清晰，消除环境光线影响；
- 2、前后同步显示，便于监测称重结果；（选配）
- 3、内置大容量免维护充电电池，超长使用时间；
- 4、交直流两用，不受供电环境影响，随时使用；
- 5、四个独立水平调整脚，适合各类操作台面；
- 6、多种单位一键快速转换，方便进行科学计量；
- 7、附带计数功能，准确度高；
- 8、高精度产品采用防静电优质玻璃，能有效消除环境各种干扰，能获取高精度的称重结果。
- 9、中精度产品采用组合式防风罩，拆装便捷，灵活使用，满足大多数环境使用要求。

FEATURES

- 1、Digital display, clear display, eliminating the influence of ambient light;
- 2、Synchronous display before and after, easy to monitor weighing results. (optional);
- 3、Built-in high-capacity maintenance-free rechargeable battery, long time;
- 4、AC and DC power supply without environmental impact, ready to use;
- 5、Four independent leveling feet, suitable for all types of operating table;
- 6、A variety of one-touch speed conversion unit, to facilitate the scientific measurement;
- 7、With counting function, high accuracy;
- 8、High-precision high-quality glass products with anti-static, can effectively eliminate various interferences environment, to obtain highly accurate weighing results.
- 9、The precision products using modular windshield, easy accessibility, flexible use, to meet most environmental requirements.




Table with 5 columns: Model, Specification, Capacity, Resolution, and Scale Pan Size. It lists various models (CB1003, CB2003, CB3003) and their specifications.




Table with 10 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, and Power. It lists various models (CB1002, CB2002, CB3002, CB5002, CB6002, CB10002, CB20002, CB30002) and their specifications.



后显示 (选配)

Table with 9 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, and Power. It lists various models (CB1001, CB2001, CB3001, CB5001, CB6001, CB10001, CB20001, CB30001) and their specifications.

HC-CB型多功能系列天平
HC-CB Multifunction Balances

性能特点

- 1、数码管显示，显示清晰，消除环境光线影响；
- 2、前后同步显示，便于监测称重结果；（选配）
- 3、内置大容量免维护充电电池，超长使用时间；
- 4、交直流两用，不受供电环境影响，随时使用；
- 5、四个独立水平调整脚，适合各类操作台面；
- 6、多种单位一键快速转换，方便进行科学计量；
- 7、附带计数功能，准确度高；
- 8、高精度产品采用防静电优质玻璃，能有效消除环境各种干扰，能获取高精度的称重结果。
- 9、中精度产品采用组合式防风罩，拆装便捷，灵活使用，满足大多数环境使用要求。

FEATURES

- 1、Digital display, clear display, eliminating the influence of ambient light;
- 2、Synchronous display before and after, easy to monitor weighing results. (optional);
- 3、Built-in high-capacity maintenance-free rechargeable battery, long time;
- 4、AC and DC power supply without environmental impact, ready to use;
- 5、Four independent leveling feet, suitable for all types of operating table;
- 6、A variety of one-touch speed conversion unit, to facilitate the scientific measurement;
- 7、With counting function, high accuracy;
- 8、High-precision high-quality glass products with anti-static, can effectively eliminate various interferences environment, to obtain highly accurate weighing results.
- 9、The precision products using modular windshield, easy accessibility, flexible use, to meet most environmental requirements.




Table with 4 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Packing Box, QTY, MEAS, N.W / G.W, and Power. It lists various models (CB50001, CB60001, CB100001) and their specifications.

HC-F型 精准系列天平
HC-F Type Series Precision Balances

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准，标配砝码操作简便；
- 3、大尺寸带背光液晶显示，消除环境光线影响；
- 4、抗过载保护及故障自动提示；
- 5、内置RS232接口(可选装),可直接连接电脑或打印机;
- 6、各种单位转换，操作简便；
- 7、交直流两用，自动睡眠模式，待机时间超长;
- 8、选装外置显示器（RS232与显示接口二选一）。

FEATURES

- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights, easy to operate standard weight;
- 3. Large-size glass windscreen; High-contrast,large LCD display ,Display back light;
- 4. Anti-overload protection and automatic fault tips;
- 5. Built-in RS232 interface (optional) can be connected directly to a computer or printer;
- 6. A variety of unit conversion, easy to operate;
- 7. AC-DC dual-use, automatic sleep mode, long standby time.
- 8. Optional external display (RS232 and display interface, only one of them).

HC-F 组合式 防风罩	型号 Model	F1002	F2002	F3002	F5002	F6002	F10002	F20002	F30002
	规格 Specification	100g/0.01g	200g/0.01g	300g/0.01g	500g/0.01g	600g/0.01g	1000g/0.01g	2000g/0.01g	3000g/0.01g
	最大称量值 Capacity	100g	200g	300g	500g	600g	1000g	2000g	3000g
	最小读数 Resolution	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g	0.01g
	秤盘尺寸 Scale Pan Size	Ø130mm							
	内盒尺寸 Packing Box	31.4x25.4x15.2cm							
	装箱数量 QTY	6台							
	外箱尺寸 MEAS	53x33x48.5cm							
	毛、净重 N.W / G.W	13.5kg/12.5kg							
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池							



外置式显示器
External Display

HC-F 普通	型号 Model	F1001	F2001	F3001	F5001	F6001	F10001	F20001	F30001
	规格 Specification	100g/0.1g	200g/0.1g	300g/0.1g	500g/0.1g	600g/0.1g	1000g/0.1g	2000g/0.1g	3000g/0.1g
	最大称量值 Capacity	100g	200g	300g	500g	600g	1000g	2000g	3000g
	最小读数 Resolution	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	Ø130mm							
	内盒尺寸 Packing Box	31.4x25.5x15.2cm							
	装箱数量 QTY	6台							
	外箱尺寸 MEAS	53x33x48.5cm							
	毛、净重 N.W / G.W	12.5kg/11.5kg							
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池							

HC-F型 精准系列天平
HC-F Type Series Precision Balances

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准，标配砝码操作简便；
- 3、大尺寸带背光液晶显示，消除环境光线影响；
- 4、抗过载保护及故障自动提示；
- 5、内置RS232接口(可选装),可直接连接电脑或打印机;
- 6、各种单位转换，操作简便；
- 7、交直流两用，自动睡眠模式，待机时间超长;
- 8、选装外置显示器（RS232与显示接口二选一）。

FEATURES

- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights, easy to operate standard weight;
- 3. Large-size glass windscreen; High-contrast,large LCD display ,Display back light;
- 4. Anti-overload protection and automatic fault tips;
- 5. Built-in RS232 interface (optional) can be connected directly to a computer or printer;
- 6. A variety of unit conversion, easy to operate;
- 7. AC-DC dual-use, automatic sleep mode, long standby time.
- 8. Optional external display (RS232 and display interface, only one of them).



HC-F 大称量	型号 Model	F50001	F60001	F100001
	规格 Specification	5000g/0.1g	6000g/0.1g	10000g/0.1g
	最大称量值 Capacity	5000g	6000g	10kg
	最小读数 Resolution	0.1g	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	175x145mm		
	内盒尺寸 Packing Box	31.4x25.5x15.2cm		
	装箱数量 QTY	6台		
	外箱尺寸 MEAS	53x33x48.5cm		
	毛、净重 N.W / G.W	14.5kg/13.5kg		
	供电 Power	DC 12V / 内置6V/1.4AH免维护蓄电池		

静水力学天平
Hydrostatic Balance

性能特点

- 1、用于固体样品进行密度、体积的测量；
- 2、专用静水力学装置设计；
- 3、由电子天平与静水力学装置组合而成；
- 4、铸铝静水力学装置坚固可靠；
- 5、防跌落脚设计保证称量的安全。

FEATURES

- 1. Measuring the density for solid samples, the volume of;
- 2. Dedicated hydrostatic device is designed;
- 3. A combination of electronic balance and hydrostatic unit is made;
- 4. Aluminum hydrostatic means robust and reliable;
- 5. Anti-foot drop design to ensure the safety of the weighing.

HC-D型便携式电子天平
HC-D Portable Electronic Balance


性能特点

- 1、高清晰LCD显示,带背光照明,读数清晰方便;
- 2、具有计数、单位转换和称重等多种功能模式；
- 3、不锈钢秤盘坚实耐用，便于清理；
- 4、按键开关机设计，操作简便；
- 5、低电量警示、过载指示，可调脚座;
- 6、交直流电源两用，标准AA电池，更换方便；
- 7、小巧便携，适合随身携带。


FEATURES

- 1. The use of electromagnetic force balance type weighing sensor;
- 2. Automatic external calibration weights, automatic calibration;
- 3. Large-size glass windscreen, clear vision and bright;
- 4. High-contrast, large LCD screen;
- 5. The display backlight;
- 6. Overload protection;
- 7. Compact and portable, suitable for portable.

HC-D	型号 Model	D1002	D2002	D3002	D5002	D1001	D2001	D5001	D10001	D20001
	规格 Specification	100g/0.01g	200g/0.01g	300g/0.01g	500g/0.01g	100g/0.1g	200g/0.1g	500g/0.1g	1000g/0.1g	2000g/0.1g
	最大称量值 Capacity	100g	200g	300g	500g	100g	200g	500g	1000g	2000g
	最小读数 Resolution	0.01g	0.01g	0.01g	0.01g	0.1g	0.1g	0.1g	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	Ø130mm								
	内盒尺寸 Packing Box	31.5x21.7x11cm								
	装箱数量 QTY	8台								
	外箱尺寸 MEAS	46.5x45.5x32.5cm								
	毛、净重 N.W / G.W	约6.6kg / 5.6kg								
	供电 Power	DC 6V , 4XAA电池								



电子 静水 天平	型号 Model	JS-20001	JS-50001
	规格 Specification	2000g/0.1g	5000g/0.1g
	最大称量值 Capacity	2000g	5000g
	最小读数 Resolution	0.1g	0.1g
	秤盘尺寸 Scale Pan Size	173x188mm	
	支架尺寸 Support size	370x355x400mm	
	吊篮尺寸 Basket size	150x180mm	
	容器尺寸 Container size	250x230mm	
	装箱数量 QTY	1台	
	外形尺寸 Carton Dimension	400x250x425mm	
	毛、净重 N.W / G.W	8kg/7kg	
	供电 Power	DC9V / 300mA	



HC-EZ系列电子计重秤
HC-EZ Series Electronic Weight Scale

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准，
- 3、大尺寸数码管显示，全方位无视角偏差；
- 4、抗过载保护及故障自动提示；
- 5、内置RS232接口(可选装),可直接连接电脑或打印机;
- 6、多种单位转换及计数等功能；
- 7、交直流两用，自动睡眠模式，待机时间超长。

FEATURES

- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights,
- 3. Large digital display, full viewing angle deviation;
- 4. Anti-overload protection and automatic fault tips;
- 5. Built-in RS232 interface (optional) can be connected directly to a computer or printer;
- 6. A variety of unit conversion and counting, and other functions;
- 7. AC-DC dual-use, automatic sleep mode, long standby time.



HC-EZ 计重秤	型号 Model	EZ3-01	EZ3-02	EZ6-01	EZ6-02	EZ15-05	EZ15-1	EZ30-1	EZ30-2
	规格 Specification	3kg/0.1g	3kg/0.2g	6kg/0.1g	6kg/0.2g	15kg/0.5g	15kg/1g	30kg/1g	30kg/2g
	最大称量值 Capacity	3kg	3kg	6kg	6kg	15kg	15kg	30kg	30kg
	最小读数 Resolution	0.1g	0.2g	0.1g	0.2g	0.5g	1g	1g	2g
	秤盘尺寸 Scale Pan Size	288x200mm							
	内盒尺寸 Packing Box	37.5x35.5x15.5cm							
	装箱数量 QTY	6台							
	外箱尺寸 MEAS	75x38x48cm							
	毛、净重 N.W / G.W	26kg/24kg							
	供电 Power	AC 220V 和内置4V/4AH免维护蓄电池							

HC-ES系列电子计数秤
HC-ES Series Electronic Coanting Scale

性能特点

- 1、采用高精度应变式称量传感器；
- 2、自动外置砝码校准；
- 3、液晶屏带背光显示；
- 4、抗过载保护及故障自动提示；
- 5、内置RS232接口(可选装)，可直接连接电脑或打印机；
- 6、交直流两用，自动睡眠模式，待机时间超长。

FEATURES

- 1. Using high-precision strain gauge transducer;
- 2. Automatic external calibration weights,
- 3. LCD display with backlight;
- 4. Anti-overload protection and automatic fault tips;
- 5. Bilt-in RS232 interface (optional) can be connected directly to a computer or printer;
- 6. AC-DC dual-use, automatic sleep mode, long standby time.



HC-ES 计数秤	型号 Model	ES3-01	ES3-02	ES6-01	ES6-02	ES15-1	ES30-1	ES30-2
	规格 Specification	3kg/0.1g	3kg/0.2g	6kg/0.1g	6kg/0.2g	15kg/1g	30kg/1g	30kg/2g
	最大称量值 Capacity	3kg	3kg	6kg	6kg	15kg	30kg	30kg
	最小读数 Resolution	0.1g	0.2g	0.1g	0.2g	1g	1g	2g
	秤盘尺寸 Scale Pan Size	288x200mm						
	内盒尺寸 Packing Box	37.5x35.5x15.5cm						
	装箱数量 QTY	6台						
	外箱尺寸 MEAS	75x38x48cm						
	毛、净重 N.W / G.W	26kg/24kg						
	供电 Power	AC 220V 和内置4V/4AH免维护蓄电池						

JSF系列不锈钢防水秤
JSF Series Waterproof Scale

- 性能特点
1、食品级不锈钢；
2、IP68级全封闭防水；
3、防水电源接口；
4、双面高清大屏；
5、内置6V/4.5A密封铅酸蓄电池；
6、称重、计数、省电功能。
- FEATURES
1、Food grade stainless steel;
2、IP68 level fully enclosed waterproof;
3、Waterproof power interface;
4、Double sided LED display;
5、Built-in 6V/4.5A sealed lead-acid battery;
6、Weighing , counting , and power saving functions.

Table with 8 columns: Model, Max capacity, Min weighing, Verification division value e, Display division value d1, Display division value d2, Maximum tare weight, Level of accuracy, Dimensions, Pan size, Power supply, Net weight.



LD-200电子秤
LD-200 Electronic Scale



- 性能特点
1、USB 充电接口；
2、内置3.8V锂电池；
3、USB 数据线（标配）；
4、不锈钢秤盘（选配）。
- FEATURES
1、USB interface;
2、3.8V lithium battery inside;
3、USB data line;
4、Stainless steel pan (optional).

Table with 9 columns: Model, Capacity, Readability, Repeatability, Pan size, Dimensions, Rechargeable battery inside, Net weight.

I-2000电子秤
I-2000 Electronic Scale



量程读数: 200-500g/0.01
1000-3000g/0.1
秤盘尺寸: 10x10cm
外箱尺寸: 37x30.5x58cm
装箱数: 60台
毛、净重: 16.5kg/13kg
电源: 1.5Vx2AAA电池

- 性能特点
1、不锈钢称台，满量程清零；
2、180秒自动关机，低电压报警；
3、蓝色LCD显示器，6种单位转换；
4、使用两节AAA电池，携带方便。

- FEATURES
1、Stainless steel weighing platform, full range reset;
2、180 seconds automatic shutdown, low voltage alarm;
3、Blue LCD display with 6 unit conversions;
4、Convenient to carry with two AAA batteries.

婴儿体重秤
Baby scale

BS100

称重测量范围: 100kg
体重分度值: 10g
身高测量范围: 46cm-70cm
身高测量精度: 1mm
显示方式: 液晶显示
显示窗尺寸: 6x2.4cm
外形尺寸: 70x32.4x7.6cm
净重: 1.5kg
供电方式: USB充电/2节7号电池

Maximum Capacity: 100kg
Reading Precision: 10g
Height measurement range: 46cm-70cm
Height measurement accuracy: 1 mm
Display mode: LCD display
Display window size: 6x2.4cm
Physical dimension: 70x32.4x7.6cm
N.W.:1.5kg
Power : Micro USB and 2 x AAA Batteries

- 性能特点
1、带背光液晶显示屏，确保使用环境照明不足时能正常使用；
2、舒适可分离U型秤面，防侧翻有效保护宝宝脊椎；
3、使用可站立、躺卧两用，适合宝宝生长需求；
4、秤面自带刻度，方便测量宝宝身高；
5、高精度专用传感器，持久耐用；
6、一键锁定功能，能准确称量出宝宝实际体重，方便读数；
7、USB充电更持久续航。



- FEATURES
1、LCD with backlight to ensure the normal use of the environment when the lighting is insufficient;
2、Comfortable and separable U-shaped weighing surface can effectively protect the baby's spine against rollover.
3、It can be used for both standing and lying, which is suitable for the growth needs of babies.
4、Scale face has its own scale, which is convenient for measuring the baby's height.
5、High precision special sensor, durable;
6、One-button locking function, can accurately weigh the actual weight of the baby, easy to read;
7、USB charging is more durable.



架盘天平系列
TOP-PANBALANCE



JPT-01



JPT-02



JPT-05



JPT-1

型 号 Model	最大称量 Max	分度值 Division	外箱尺寸 Packing volume	装箱数量 Packing	毛/净重 G.W / N.W
JPT-01	100g	0.1g	47x42x32.5cm	20台/箱	11.5kg/10.5kg
JPT-02	200g	0.2g	47x42x32.5cm	20台/箱	13.5kg/12.5kg
JPT-05	500g	0.5g	59x29x39cm	10台/箱	13kg/12kg
JPT-1	1000g	1g	46x34x41cm	6台/箱	12.5kg/11.5kg



JPT-2



JPT-5

型 号 Model	最大称量 Max	分度值 Division	外箱尺寸 MEAS	装箱数量 Packing	毛/净重 G.W / N.W
JPT-2	2000g	2g	62x41.5x26cm	3台/箱	16kg/15kg
JPT-5	5000g	5g	62x40x60cm	2台/箱	14kg/13kg

砝码组规格 Series Weights	2kg	1kg	500g	200g	100g	50g	20g	10g	5g	2g	1g
100g组合						1	2	1	1		
200g组合					1	1	2	1	1		
500g组合				1	2	1	2	1			
1000g组合			1	1	2	1	2	1	1	2	1
2000g组合		1	1	1	2	1	2	1	1	2	1
5000g组合	1	2	1	1	2	1	1	2	2		

机械天平系列
Electronic Analytical Balance



J0104 学生天平 Student Balance

最大称量: 200g
读数精度: 20mg
装箱数: 6台/箱
内箱尺寸: 31.5x15x30.5cm
外箱尺寸: 64.5x47.5x32.5cm
毛重/净重: 10kg/9kg

Maximum Capacity: 200g
Reading Precision: 20mg
Packing: 6PCS/CTN
Packing Box: 31.5x15x30.5cm
MEAS: 64.5x47.5x32.5cm
N.W.: 9kg G.W.: 10kg



WL-05 物理天平 Physical Balance

最大称量: 500g
读数精度: 20mg
装箱数: 4台/箱
内箱尺寸: 41x16.5x44cm
外箱尺寸: 71x42x45.5cm
毛重/净重: 11.5kg/10.5kg

Maximum Capacity: 500g
Reading Precision: 20mg
Packing: 4PCS/CTN
Packing Box: 41x16.5x44cm
MEAS: 71x42x45.5cm
N.W.: 10.5kg G.W.: 11.5kg



MB-2000 二标尺天平 Double Beam Balance Specifications

最大称量: 2000g
读数精度: 0.1g
主标尺: 200gx10g
副标尺: 10gx0.1g
秤盘尺寸: Ø150mm
阻尼装置: 磁性
装箱数: 4台/箱
外箱尺寸: 49x43x58cm
毛重/净重: 20kg/18kg

Capacity: 2000g
Reading Precision: 0.1g
Second beam: 200gx10g
Front beam: 10gx0.1g
Pan Size: Ø150mm
Weighing: grams
Damping system: Magnetic
Packing: 4PCS/CTN
MEAS: 49x43x58cm
N.W.: 18kg G.W.: 20kg



MB-2610 三标尺天平 Triple Beam Balance Specifications

最大称量: 2610g
读数精度: 0.1g
前标尺: 10gx0.1g
中标尺: 500gx100g
后标尺: 100gx10g
秤盘尺寸: Ø150mm
阻尼装置: 磁性
装箱数: 4台/箱
外箱尺寸: 51x36x47cm
毛重/净重: 13kg/11kg

Capacity: 2610g
Reading Precision: 0.1g
Front beam: 10gx0.1g
Second beam: 500gx100g
Third beam: 100gx10g
Pan Size: Ø150mm
Weighing: grams
Damping system: Magnetic
Packing: 4PCS/CTN
MEAS: 51x36x47cm
N.W.: 11kg G.W.: 13kg



MB-311 四标尺天平 Quadruple Beam Balance Specifications

最大称量: 311g
读数精度: 0.01g
前标尺: 1gx0.1g
第二标尺: 10gx1g
第三标尺: 100gx10g
后标尺: 200gx100g
秤盘尺寸: Ø150mm
阻尼装置: 磁性
装箱数: 4台/箱
外箱尺寸: 75x45x37cm
毛重/净重: 10kg/8kg

Capacity: 311g
Reading Precision: 0.01g
Front beam: 1gx0.1g
Second beam: 10gx1g
Third beam: 100gx10g
Read Size: 200gx100g
Pan Size: Ø150mm
Weighing: grams
Damping system: Magnetic
Packing: 4PCS/CTN
MEAS: 75x45x37cm
N.W.: 8kg G.W.: 10kg

身高体重秤系列

Height And Weight Scale Series

11030-A

最大称量: 150kg
读数精度: 100g
高度范围: 72 ~ 190cm
秤盘尺寸: 310x380mm
超载保护
自动开/归零/关机
液晶显示屏
窗口尺寸: 95x32mm
外型尺寸: 54x31x96cm
外箱尺寸: 91x39x14cm
装箱数: 1台/箱
毛重/净重: 9.5kg/8kg
电源: DC9V/内置蓄电池

Maximum Capacity: 150kg
Reading Precision: 100g
Height measurement range: 72 ~ 190cm
Platform Size: 310x380mm
Over load and low voltage indication
Auto on/Auto zero/Auto off
LCD Display
Display window size: 95x32mm
Physical dimension: 54x31x96cm
MEAS: 91x39x14cm
Packing: 1PCS/CTN
N.W.: 9.5kg G.W.: 8kg
Power: DC9V

性能特点

- 1、超大带背光液晶显示屏，确保工作环境照明不足时能正常使用；
- 2、交直流两用电源，配有超强蓄电池，适应不同环境使用。

FEATURES

1. High-contrast, large LCD display, Display back light;
2. AC and DC Power supply, with a super battery. Adapt to different environments.



11030-C

最大称量: 180kg
读数精度: 0.1kg
高度范围: 72 ~ 190cm
秤盘尺寸: 310x310mm
超载保护
自动开/归零/关机
液晶显示屏
窗口尺寸: 60x30mm
外型尺寸: 41x31x79.5cm
外箱尺寸: 85x33x27cm
装箱数: 6台/箱
毛重/净重: 16kg/15kg
电源: 内置1x3V锂电池

Maximum Capacity: 180kg
Reading Precision: 0.1kg
Height measurement range: 72 ~ 190cm
Platform Size: 310x310mm
Over load and low voltage indication
Auto on/Auto zero/Auto off
LCD Display
Display window size: 60x30mm
Physical dimension: 41x31x79.5cm
MEAS: 85x33x27cm
Packing: 6PCS/CTN
N.W.: 16kg G.W.: 15kg
Power: Built-in lithium battery 1X3V

性能特点

- 1、液晶显示屏，直观准确；
- 2、自动开关机，自动去皮；
- 3、防倾斜保护。

FEATURES

1. A liquid crystal display, intuitive and accurate;
2. Automatic Turning, automatic tare;
3. Anti-tilt protection.



11030-B

最大称量: 150kg
读数精度: 100g
高度范围: 72 ~ 190cm
秤盘尺寸: 300x400mm
超载保护
自动开/归零/关机
液晶显示屏
窗口尺寸: 95x32mm
外型尺寸: 41.5x30x96cm
外箱尺寸: 84x34x29.5cm
装箱数: 2台/箱
毛重/净重: 12.5kg/11.5kg
电源: DC9V/内置蓄电池

Maximum Capacity: 150kg
Reading Precision: 100g
Height measurement range: 72 ~ 190cm
Platform Size: 300x400mm
Over load and low voltage indication
Auto on/Auto zero/Auto off
LCD Display
Display window size: 95x32mm
Physical dimension: 41.5x30x96cm
MEAS: 84x34x29.5cm
Packing: 2PCS/CTN
N.W.: 11.5kg G.W.: 12.5kg
Power: DC9V

性能特点

- 1、超大带背光液晶显示屏，确保工作环境照明不足时能正常使用；
- 2、交直流两用电源，配有超强蓄电池，适应不同环境使用。

FEATURES

1. High-contrast, large LCD display, Display back light;
2. AC and DC Power supply, with a super battery. Adapt to different environments.



11030-D

最大称量: 120kg
读数精度: 1kg
高度范围: 72 ~ 190cm
秤盘尺寸: 270x245mm
外型尺寸: 32.5x27x79cm
外箱尺寸: 80x29x36cm
装箱数: 12台/箱
毛重/净重: 14kg/12kg

Maximum Capacity: 120kg
Reading Precision: 1kg
Height measurement range: 72 ~ 190cm
Platform Size: 270x245mm
Physical dimension: 32.5x27x79cm
MEAS: 80x29x36cm
Packing: 12PCS/CTN
N.W.: 14kg G.W.: 12kg

性能特点

- 1、结构简单，结实可靠；
- 2、使用方便，免维护。

FEATURES

1. The structure is simple, solid and reliable;
2. Easy to use, maintenance-free



身高体重秤系列
Height And Weight Scale Series

11030-E

最大称量: 180kg
读数精度: 0.1kg
身高测量范围: 72cm~190cm
秤面尺寸: φ 400mm
显示方式: 液晶显示
显示窗尺寸: 95x32mm
外形尺寸: 58X40X86cm
外箱尺寸: 80X45X18cm
装箱数: 1台
毛、净重: 9.5kg/8kg
供电方式: 4节7号电池或USB充电(选配)

性能特点

- 1、带背光液晶显示屏，确保使用环境照明不足时能正常使用；
- 2、功能按键操作，功能丰富，操作简便；
- 3、全金属底座，更加坚固耐用；
- 4、称重、测身高两用；
- 5、造型新颖，适合家庭、公共场所使用；
- 6、高精度专用传感器，持久耐用；
- 7、USB充电更持久续航（选配）。

Maximum Capacity: 180kg
Reading Precision: 0.1kg
Height measurement range: 72cm~190 cm
Scale deck Size: φ 400mm
Display mode: LCD display
Display window size: 95x32mm
Physical dimension: 58x40x86cm
MEAS: 80x45x18cm
Packing: 1PCS/CTN
N.W.: 8kg G.W.: 9.5kg
Power: 4 x AAA Batteries or Micro USB charging (optional)

FEATURES

- 1、LCD with backlight to ensure the normal use of the environment when the lighting is insufficient;
- 2、Functional key operation, rich in functions, easy to operate;
- 3、All-metal base, more durable;
- 4、Weighing and height measurement;
- 5、It is novel in shape and suitable for use in family and public places;
- 6、High precision special sensor, durable;
- 7、USB charging is more durable (optional).

RGZ

最大称量: 120kg,160kg, 200kg
读数精度: 0.5kg
身高测量范围: 72cm~190cm
秤面尺寸: 37.5x27.5x0.2cm
显示方式: 指针显示
显示窗尺寸: Φ18cm
外形尺寸: 55x27.8x92.5cm
外箱尺寸: 88x31x27cm
装箱数: 1台
毛、净重: 8.5kg/7kg

性能特点

- 1、机械式结构，指针式显示;
- 2、称重、测身高两用，操作简便；
- 3、造型新颖，适合家庭、公共场所使用；
- 4、性能稳定，持久耐用。

Maximum Capacity :120kg,160kg, 200kg
Reading Precision :0.5kg
Height measurement range :72cm~190 cm
Scale deck Size :37.5x27.5x0.2cm
Display mode : Pointer display
Display window size :Φ18cm
Physical dimension :55x27.8x92.5cm
MEAS :88x31x27cm
Packing :1PCS/CTN
N.W.: 7kg G.W.: 8.5kg

FEATURES

- 1、Mechanical structure, pointer display;
- 2、Weighing and height measurement, easy to operate;
- 3、It is novel in shape and suitable for use in family and public places;
- 4、Stable performance, durable.

TCS-Z 系列电子计重台秤
TCS-Z Series Electronic Weighing Platform Scale

性能特点

- 1、超大尺寸数码管显示，比常规产品具有更佳显示效果；
- 2、具有省电功能，可以调整数码管显示亮度；
- 3、具有简易计数功能；
- 4、具有改变称重反应速度功能；
- 5、具有随时读取当前电量功能；
- 6、具有低电量报警提示功能。

FEATURES

- 1、Large size digital tube display, than the conventional products have better display;
- 2、With power saving function, you can adjust the brightness of digital display;
- 3、With simple counting function;
- 4、Has the function of changing the weighing speed;
- 5、Has the ability to read the current power function at any time;
- 6、With low battery alarm prompt function.

TCS-S 系列电子计数台秤
TCS-S Series Electronic Counting Platform Scale

性能特点

- 1、预设上下限报警功能；
- 2、具有省电功能，可以选择液晶背光显示模式；
- 3、三窗口分别显示不同参数，操作与使用更加方便，一目了然；
- 4、称重及计算结果快速稳定；
- 5、具有低电量报警提示功能。

FEATURES

- 1、Preset upper and lower limits alarm function;
- 2、With power saving function, you can choose LCD backlight display mode;
- 3、Three windows show different parameters, operation and use more convenient, at a glance;
- 4、Weighing and calculation results are quick and stable;
- 5、With low battery alarm prompt function.

Table with 7 columns: Model, Specification, Capacity, Resolution, Scale Pan Size, Display, Power. Rows include TCS-30S, TCS-60S, TCS-100S, TCS-150S, TCS-300S and TCS-S counting platform scale details.



天平减震器
Anti vibration balance table

性能特点

不锈钢材质，易清洁；
减震效果好，噪音低。

FEATURES

Stainless steel, easy to clean;
Good shock absorption effect, and low noise.



名称 Name	天平减震器 Anti vibration balance table
台面尺寸 Countertop size	480x340x80mm
材质 Material	不锈钢 Stainless steel
重量 Weight	10kg

取样刀
Fabric Sample Cutter

型号：PC 系列
产品功能：面料取样
取样面积：100cm²
刀片更换：双面刀片
主要材质：铝合金

Model : PC series
Function : Fabric sampling
Sampling area :100cm²
Blade replacement : Double-sided blade
Main material : Aluminum alloy



性能特点

- 1、铝合金材质把手;
- 2、开关安全栓；
- 3、防滑齿底盘；
- 4、配备4片加厚刀片，安装简便。

FEATURES

- 1、Aluminum handle;
- 2、Switch safety bolt;
- 3、Anti-slip tooth chassis;
- 4、Equipped with 4 thick blades , easy to install

标准砝码系列
Standard Weight Series

标称值 Nominal	5kg	2kg	1kg	500g	200g	100g	50g	20g	10g
M1(±mg)	250	100	50	25	10	5	3	2.5	2
M2(±mg)	800	300	160	75	30	16	10	8	6



SF-400A 厨房秤 Electronic Kitchen Scale

量程：100 ~ 5000g
读数精度：1g
秤盘尺寸：150x150mm
液晶显示，附背光照明
单位转换
计数功能
装箱数：40台/箱
毛重/净重：25kg/21kg
外箱尺寸：51x46x40cm
电源：1.5Vx2AA 电池

Maximum Capacity: 100 ~ 5000g
Reading Precision: 1g
Pan Size: 150x150mm
LCD display, with back light
Unit Conversion
Packing: 40PCS/CTN
N.W.:21kg G.W.:25kg
Measurement: 51x46x40cm
Power:1.5Vx2AA Batteries

SF-400 厨房秤 Electronic Kitchen Scale

量程：100 ~ 5000g
读数精度：1g
秤盘尺寸：Ø145mm
液晶显示
单位转换
装箱数：40台/箱
毛重/净重：25kg/21kg
外箱尺寸：51x46x40cm
电源：1.5Vx2AA 电池

Maximum Capacity: 100 ~ 5000g
Reading Precision: 1g
Pan Size: Ø145mm
LCD display
Unit Conversion
Packing: 40PCS/CTN
N.W.:21kg G.W.:25kg
Measurement: 51x46x40cm
Power:1.5Vx2AA Batteries

11020 弹簧度盘秤 Spring Dial Scale

量程：0.5 ~ 1000g
读数精度：0.5g
装箱数：24台/箱
毛重/净重：11kg/12kg
外箱尺寸：56x47x36cm

Maximum Capacity: 0.5 ~ 1000g
Reading Precision: 0.5g
Packing: 24PCS/CTN
N.W.:12kg G.W.:11kg
Measurement: 56x47x36cm

11007 简易天平 A Simple Balance

装箱数：28台/箱
外箱尺寸：59x33x57cm
毛重/净重：15.8kg/14.8kg

Packing: 28PCS/CTN
Measurement: 59x33x57cm
N.W.:14.8kg G.W.:15.8kg

11007 简易天平 B Simple Balance

最大量程：200g
读数精度：1g
装箱数：40台/箱
外箱尺寸：67.5x42x48cm
毛重/净重：16kg/15kg

Maximum Capacity: 200g
Reading Precision: 1g
Packing: 40PCS/CTN
Measurement: 67.5x42x48cm
N.W.:15kg G.W.:16kg